| Ref<br>#   | Hits | Search Query   | DBs  | Default<br>Operator | Plurals | Time Stamp       |
|------------|------|--|--|---------------------|---------|------------------|
| S1         | 2    | (("5560005") or ("6154749")).PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR                  | OFF     | 2006/08/15 09:56 |
| S2         | 181  | (distributed adj database) same ((central or main) adj database)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 09:19 |
| <b>S</b> 3 | 98   | (distributed adj database) with ((central or main) adj databasė)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 09:21 |
| <b>S4</b>  | 42   | (distributed adj database) with ((central or main) adj database) and (account or user) near (information or data)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 13:10 |
| S5         | 2    | (distributed adj database) with ((central or main) adj database) same (account or user) near (information or data) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 09:27 |
| S6         | 1134 | ((email or e-mail) adj account)<br>same access   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 10:02 |
| S7         | 26   | ((email or e-mail) adj account adj<br>information) same access   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 12:09 |
| S8         | 1    | ("20050192964").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR                  | OFF     | 2006/08/14 12:09 |
| S9         | 2057 | account adj database   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 13:10 |
| S10        | 64   | (account near database) same (central near database)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR                  | ON      | 2006/08/14 13:19 |

|     |      |   | -  |    |      |                  |
|-----|------|---|--|----|------|------------------|
| S11 | 436  | ((email or e-mail) account near<br>database) same (central near<br>database)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:19 |
| S12 | 0    | ((email or e-mail) near account near<br>database) same (central near<br>database) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:19 |
| S13 | 0    | ((email or e-mail) near account near<br>database) and (central near<br>database)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON . | 2006/08/14 13:20 |
| S14 | 6    | ((email or e-mail) near account with database) and (central near database)        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:21 |
| S15 | 2553 | ((location or address or pointer) near2 information) with account                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:22 |
| S16 | 330  | ((location or address or pointer) near2 information) with account with database   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:22 |
| S17 | 328  | ((location or address) near2 information) with account with database              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:23 |
| S18 | 141  | ((location or address) near information) with account with database               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:23 |
| S19 | 22   | ((location or address) near information) with account with database with store    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:23 |
| S20 | 39   | ((location or address) near information) with account with database with store\$2 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON   | 2006/08/14 13:23 |

| S21      | 49   | ((location or address) near information) with account with database with stor\$3 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 17:00 |
|----------|------|--|--|----|----|------------------|
| S22      | 2    | (cach\$3 adj account) with location with information                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:10 |
| S23      | 5    | (cach\$3 adj database) with location with information                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:10 |
| S24      | 0    | store near2 (local adj copy) with address adj information                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:14 |
| S25      | 1829 | ((location or address) near information) with cache                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:15 |
| S26      | 1    | (database adj (location or address)<br>near information) with cache              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:15 |
| S27<br>- | 21   | database adj (location or address)<br>with cache                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:17 |
| S28      | 164  | database adj (location or address)<br>with (cache or store)                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:17 |
| S29      | 1    | database adj (location or address)<br>with (cache or store) same<br>distributed  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:18 |
| S30      | 164  | database adj (location or address)<br>with (cache or store)                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2006/08/14 14:19 |

|     |      |   |  |    |     | ,                |
|-----|------|---|--|----|-----|------------------|
| S31 | 79   | database adj (location or address)<br>near3 (cache or store)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2006/08/14 14:19 |
| S32 | 1    | cache near2 system adj setup adj<br>information   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2006/08/14 17:03 |
| S33 | 1    | cache near2 setup adj information   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2006/08/14 17:04 |
| S34 | 0    | (cache or store) near system near setup adj information   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2006/08/14 17:04 |
| S35 | 4    | (cache or store) near2 system near setup adj information  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2006/08/14 17:05 |
| S36 | 1    | ("20010044293").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR | OFF | 2007/01/24 15:16 |
| S37 | 1    | ("20020004770").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR | OFF | 2007/01/24 15:22 |
| S38 | 1589 | (multiple plurality several) with database with account   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:28 |
| S39 | 1047 | (multiple plurality several) with database with account and ((location address) with (information pointer)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:29 |
| S40 | 193  | (multiple plurality several) with database with account same((location address) with (information pointer)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:29 |

|     |      |  | -  |    |     |                  |
|-----|------|--|--|----|-----|------------------|
| S41 | 51   | (multiple plurality several) with database with account same ((location address) with (information pointer)) and (central near2 (repository directory database)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:32 |
| S42 | 3    | ("1065904").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR | OFF | 2007/01/24 15:36 |
| S43 | 1    | ("200298156").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT | OR | OFF | 2007/01/24 15:40 |
| S44 | 1114 | (maintain\$3 contain\$3) with<br>(references pointers) with (remote<br>user separate) with databases   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:41 |
| S45 | 88   | (maintain\$3 contain\$3) with<br>(references pointers) with (remote<br>user separate) adj databases  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:48 |
| S46 | 17   | index with (remote adj database) with (location address)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:49 |
| S47 | 0    | index with (remote adj database) with (location address) with account  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:50 |
| S48 | 0    | index with (remote adj database) with (location address) same account  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:50 |
| S49 | 18   | index with (remote adj database) with (location address) andaccount  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 15:50 |
| S50 | 8    | index with (remote adj database) with (location address) and account   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON  | 2007/01/24 16:00 |

| S51 | 3    | associate with account adj<br>information adj database    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR   | ON  | 2007/01/24 16:01 |
|-----|------|---|--|------|-----|------------------|
| S52 | 52   | associat\$3 with account adj<br>information adj database  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR   | ON  | 2007/01/24 16:03 |
| S53 | 4    | associat\$3 near2 account adj<br>information adj database | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR   | ON  | 2007/01/24 16:02 |
| S54 | 28   | associat\$3 near account adj<br>information with database | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR   | ON  | 2007/01/24 16:48 |
| S55 | 1    | ("5379424").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR   | OFF | 2007/01/24 16:55 |
| S56 | 1    | ("5634048").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR   | OFF | 2007/01/24 17:21 |
| S57 | 1    | ("5978577").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO             | OR   | OFF | 2007/01/24 17:21 |
| S58 | 9716 | database and interface and (account adj information)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR   | ON  | 2007/01/25 14:07 |
| S59 | 3441 | database with interface and (account adj information)     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR . | ON  | 2007/01/25 14:08 |
| S60 | 306  | database with interface same(account adj information)     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR   | ON  | 2007/01/25 14:08 |

| S61 | 21 | database with interface same<br>(account adj information) same<br>(disparate remote distributed) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2007/01/25 14:32 |
|-----|----|--|--|----|----|------------------|
| S62 | 37 | (account adj information) with database same interface same (disparate remote distributed)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>IBM_TDB | OR | ON | 2007/01/25 14:32 |